

WUHAN UNIQUE EQUIPMENT LIMITED  
WUHAN UNIQUE MECHANICAL AND ELECTRICAL EQUIPMENT CO.,LTD.

## Telecom Site Accessory Guide

[Feeder Clamp](#) ↓

[Grounding Kits](#) ↓



[Entry System](#) ↓

[Hoisting Grip](#) ↓

[Waterproofing](#) ↓

[Antenna Bracket](#) ↓

[Grounding Bar](#) ↓



[Feeder Clamp>>](#)

[Grounding Kits](#) ↓

[Entry System](#) ↓

[Hoisting Grip](#) ↓

[Waterproofing](#) ↓

[Antenna Bracket](#) ↓

[Grounding Bar](#) ↓

<p>Item Name: Feeder Cable Hanger (Feeder Clamp)</p> <p>Clamp Class: Click-On Hanger (Through Type)</p> <p>Clamp Model: TR-X*XX-304SS (TR-2X1/2"-304SS)</p> <p>Plastic Material: Polypropylene (PP)</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple,Fourfold Stack</p> <p>Match Cable: 3/8",1/2",7/8",1-1/4",1-5/8" Feeder *</p> <p>Match Cable: RG8,RG213,LMR400 Coaxial Cable</p>	
<p>Item Name: Feeder Cable Hanger (Feeder Clamp)</p> <p>Clamp Class: Click-On Hanger (Through Type)</p> <p>Clamp Model: TRF-X*XX-304SS (TR-2X7/8"-304SS)</p> <p>Plastic Material: Polypropylene(PP) + Fiberglass</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple,Fourfold Stack</p> <p>Match Cable: 3/8",1/2",7/8",1-1/4",1-5/8" Feeder *</p> <p>Match Cable: RG8,RG213,LMR400 Coaxial Cable</p>	
<p>Item Name: Optical Fiber Hanger (Feeder Clamp)</p> <p>Clamp Class: Click-On type Hanger</p> <p>Clamp Model: TRO-X*XX-304SS</p> <p>Plastic Material: Polypropylene (PP) / ABS</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple,Fourfold Stack</p> <p>Match Cable: 5.5-14.0mm Optical Fiber</p>	
<p>Item Name: Feeder Cable Hanger (Feeder Clamp)</p> <p>Clamp Class: Two Hole Type (S-Steel Splint Include)</p> <p>Clamp Model: TWS-X*XX-304SS (TWS-6X7/8"-304SS)</p> <p>Plastic Material: ABS (Styreneckpolymer) / PP</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple Stack</p> <p>Match Cable: 7/8" Feeder Cable</p>	
<p>Item Name: Feeder Cable Hanger (Feeder Clamp)</p> <p>Clamp Class: Two Hole Type (Without S-Steel Splint)</p> <p>Clamp Model: TWZ-X*XX-304SS (TWZ-6X1/2"-304SS)</p> <p>Plastic Material: Polypropylene (PP)</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple Stack</p> <p>Match Cable: 1/2",1/2"SF,7/8" Feeder Cable</p>	
<p>Item Name: Optical Fiber &amp; Power Cable Hanger</p> <p>Clamp Class: Two Hole Type (S-Steel Splint Include)</p> <p>Clamp Model: TWOS-X*XX-XX-304SS</p> <p>Plastic Material: Polypropylene (PP)</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple Stack</p> <p>Match Cable: 5~8mm Fiber &amp; 9~13mm Cable</p>	
<p>Item Name: Optical Fiber &amp; Power Cable Hanger</p> <p>Clamp Class: Two Hole Type (Without S-Steel Splint)</p> <p>Clamp Model: TWOB-X*XX-XX-304SS</p> <p>Plastic Material: Polypropylene (PP)</p> <p>Metal Material: 304 Stainless Steel</p> <p>Clamp Stack: Single,Double,Triple Stack</p> <p>Match Cable: 5~8mm Fiber &amp; 8~18.5mm Cable</p>	

## Product>

[Feeder Clamp>>](#)

[Grounding Kits ↓](#)

[Entry System ↓](#)

[Hoisting Grip ↓](#)

[Waterproofing ↓](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

## Feeder Clamp & Hanger

Item Name: Feeder Cable Hanger (Feeder Clamp)  
Clamp Class: Two Hole Type  
Clamp Model: TWMS-X\*XX-304SS  
Plastic Material: Polypropylene(PP) + Fiberglass  
Metal Material: 304 Stainless Steel \*\*  
Clamp Stack: Single,Double,Triple Stack \*\*\*  
Match Cable: 1/2",1/2"SF,7/8",1-1/4",1-5/8" Feeder



Item Name: Feeder Cable Hanger (Feeder Clamp)  
Clamp Class: Two Hole Type  
Clamp Model: TWME-X\*XX-304SS  
Plastic Material: Polypropylene(PP) + Fiberglass  
Metal Material: 304 Stainless Steel \*\*  
Clamp Stack: Single,Double,Triple Stack \*\*\*  
Match Cable: 1/2",7/8",1-1/4",1-5/8" Feeder



Item Name: Feeder Cable Hanger (Feeder Clamp)  
Clamp Class: Two Hole Type  
Clamp Model: TWME-X\*XX-304SS  
Plastic Material: Polypropylene(PP) + Fiberglass  
Metal Material: 304 Stainless Steel \*\*  
Clamp Stack: Single,Double,Triple Stack  
Match Cable: 1/4"SF,3/8",1/2"SF Feeder



Item Name: Feeder Cable Hanger (Feeder Clamp)  
Clamp Class: Suspend Hamulus Type  
Clamp Model: SHZ-X\*XX-304SS (SHZ-3X7/8"-304SS)  
Plastic Material: Polypropylene (PP)  
Metal Material: 304 Stainless Steel  
Clamp Stack: Single,Double,Triple Stack  
Match Cable: 7/8" Feeder Cable



Item Name: Leaky Cable Hanger (Feeder Clamp)  
Clamp Class: Self-Locking Hanger  
Clamp Model: LKR-XX-PPA (LKR-1/2"-PPA)  
Plastic Material: Polypropylene (PP)  
Metal Material: Iron or 304 Stainless Steel  
Mounting Hole: Screw or M8 Expand Tube  
Match Cable: 1/2",7/8",1-1/4",1-5/8" Leaky Cable



Item Name: Leaky Cable Hanger (Feeder Clamp)  
Clamp Class: Butterfly Hanger  
Clamp Model: LKR-XX-BM (LKR-1-5/8"-BM)  
Plastic Material: Non  
Metal Material: 304 Stainless Steel  
Mounting Hole: M6 Expand Tube  
Match Cable: 1/2",7/8",1-1/4",1-5/8" Leaky Cable



Item Name: Leaky Cable Hanger (Feeder Clamp)  
Clamp Class: Self-Locking Hanger  
Clamp Model: LKR-XX-PPI (LKR-1-1/4"-PPI)  
Plastic Material: Polypropylene (PP)  
Metal Material: Iron or 304 Stainless Steel  
Mounting Hole: M8 Expand Tube  
Match Cable: 1/2",7/8",1-1/4",1-5/8" Leaky Cable



Item Name: Leaky Cable Hanger (Feeder Clamp)  
Clamp Class: Self-Locking Hanger  
Clamp Model: LKR-XX-PPU (LKR-1-1/4"-PPU)  
Plastic Material: Polypropylene (PP)  
Metal Material: Iron or 304 Stainless Steel  
Mounting Hole: M8 Expand Tube  
Match Cable: 7/8",1-1/4",1-5/8" Leaky Cable





## Product>

[Feeder Clamp>>](#)

[Grounding Kits](#) ↓

[Entry System](#) ↓

[Hoisting Grip](#) ↓

[Waterproofing](#) ↓

[Antenna Bracket](#) ↓

[Grounding Bar](#) ↓

## Feeder Hanger & Adaptor

Item Name:	Feeder Cable Hanger (Feeder Clamp)	
Clamp Class:	Hoop Type	
Clamp Model:	HP-XX-304SS (HP-7/8"-304SS)	
Clamp Material:	Black Rubber	
Metal Material:	304 Stainless Steel	
Clamp Stack:	Single Stack	
Match Cable:	1/2",7/8",1-1/4",1-5/8",3-1/8" Feeder	
Item Name:	Elliptical Wave-Guide Clamp	
Clamp Class:	Hoop Type (For Wave-Guide)	
Clamp Model:	HPW-XX-304SS (HPW-BT62-304SS)	
Clamp Material:	Black Rubber	
Metal Material:	304 Stainless Steel	
Clamp Stack:	Single,Double,Triple,Fourfold Stack	
Match Cable:	BT-26,54,90 BTX-62,80 Wave-Guide	
Item Name:	Through Clamp Hanger Kit	
Clamp Class:	Click-On Hanger (Through Type)	
Clamp Model:	TCH-XX-304SS (TCH-4X7/8"-304SS)	
Metal Material:	304 Stainless Steel	
Clamp Stack:	1,2,3,4,5,6,7,8... Stack	
Match Cable:	3/8",1/2",7/8",1-1/4",1-5/8" Feeder	
Item Name:	Angle Adapter,Standard, 3/8 in tapped	
Model:	AD-TH-304SS (31468A)	
Material Thickness:	3.20mm	
Mounting:	3/8 in tapped hole/M10 tapped hole	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Angle Adapter,Standard, 3/8 in tapped	
Model:	AD-TH-HDG (31468A)	
Material Thickness:	3.20mm	
Mounting:	3/8 in tapped hole/M10 tapped hole	
Metal Material:	Steel with Hot Galvanizing	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Universal Angle Adapter (Snap-in)	
Model:	AD-UOS-304SS (UAA)	
Material Thickness:	2.67mm	
Mounting:	3/4 in through hole	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Universal Angle Adapter (Snap-in)	
Model:	AD-UOS-HDG (UAA)	
Material Thickness:	2.67mm	
Mounting:	3/4 in through hole	
Metal Material:	Steel with Hot Galvanizing	
Packing:	Plastic Bag,10Pcs/bag	

## Product>

[Feeder Clamp>>](#)

[Grounding Kits ↓](#)

[Entry System ↓](#)

[Hoisting Grip ↓](#)

[Waterproofing ↓](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

## Feeder Hanger & Adaptor

Item Name:	Universal Angle Adapter (Snap-in)	
Model:	AD-US-304SS	
Material Thickness:	2.67mm	
Maximum Loading:	Triple stack, 1-5/8 in cable	
Mounting:	3/4 in through hole	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Compact Angle Adapter	
Model:	AD-HC-304SS (243684)	
Material Thickness:	2.97mm	
Maximum Loading:	Double stack, 1-5/8 in cable	
Mounting:	3/8 in tapped hole (M10)	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	U Angle Adapter	
Model:	AD-UC-304SS	
Material Thickness:	3.9mm	
Maximum Loading:	Triple stack, 1-5/8 in cable	
Mounting:	M6/M8 in tapped hole	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Mini U Angle Adapter	
Model:	AD-MNUC-304SS	
Material Thickness:	2.97mm	
Maximum Loading:	Triple stack, 1-5/8 in cable	
Mounting:	M6/M8 in tapped hole	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Medium U Angle Adapter	
Model:	AD-MDUC-304SS	
Material Thickness:	2.97mm	
Maximum Loading:	Triple stack, 1-5/8 in cable	
Mounting:	M6/M8 in tapped hole	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Stand-off Adapter, 3/8 in tapped hole	
Clamp Class:	3/8" Tapped Adapter	
Clamp Model:	AD-TP-304SS	
Metal Material:	304 Stainless Steel	
Mounting:	3/8 in tapped hole	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	3/4" Tapped Stand-Off Adapter	
Clamp Class:	3/4" Tapped Adapter	
Clamp Model:	AD-SN-304SS	
Metal Material:	304 Stainless Steel	
Mounting:	3/8 in tapped hole	
Packing:	Plastic Bag,10Pcs/bag	

## Product>

[Feeder Clamp>>](#)

[Grounding Kits ↓](#)

[Entry System ↓](#)




[Hoisting Grip ↓](#)

[Waterproofing ↓](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

## Feeder Hanger & Adaptor

Item Name:	Universal Stand-off Adapter	
Clamp Class:	Three-way Snap-in Stand-off Adapter	
Clamp Model:	AD-USXX-304SS (STS3)	
Metal Material:	304 Stainless Steel	
Hoop Diameter:	1"-10" Diameter	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Round Hoop Member Adaptor	
Clamp Class:	Round Hoop Type	
Clamp Model:	AD-RH-304SS	
Metal Material:	304,202,201 Stainless steel	
Hoop Diameter:	1"-15" Diameter	
Item Name:	3/8" & 1/2" Butterfly Hanger	

## Product>

[Feeder Clamp>>](#)

[Grounding Kits ↓](#)

[Entry System ↓](#)

[Hoisting Grip ↓](#)

[Waterproofing ↓](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

## Feeder Adaptor & Accessories

Item Name:	Round Hoop Member Support	
Model:	RHS-3/8-304SS	
Thread Size:	3/8 in (M10)	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,100Pcs/bag	
Item Name:	Hardware Screw Kit	
Model:	HSB-3/8X3/4" (HS-3/8X1")	
Thread Size:	3/8 in (M10)	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	SS Threaded Rods	
Model:	STR-XX-3/8-WH	
Length :	2"~15"	
Includes:	Washers,Threaded rods,Hex nuts	
Thread Size:	3/8 in (M10)	
Metal Material:	304 Stainless steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Hot Galvanization Threaded Rods	
Model:	HTR-XX-3/8-WH	
Length :	2"~15"	
Includes:	Washers,Threaded rods,Hex nuts	
Thread Size:	3/8 in (M10)	
Metal Material:	Hot Galvanization Steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Hot Galvanization U Bolt	
Model:	HGUB-XX-X/X-WH	
Length :	2"~50"	
Includes:	Bolts,Washers,Hex Nuts	
Thread Size:	1/8",3/8",1/2",5/8",1"	
Metal Material:	Hot Galvanization Steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Hot Galvanization Plate	
Model:	HGPT-31X115	
Size :	31X115mm	
Hole Size:	19mm	
Metal Material:	Hot Galvanization Steel	
Packing:	Plastic Bag,10Pcs/bag	
Item Name:	Stainless Steel Ties	
Thickness:	0.25mm	
Width:	4.6~12mm	
Length:	100~400mm	
Surface:	Natural Colour	
Enlace Size	Φ23mm - Φ116.0mm	
Packing:	100pcs/Bag	



[Feeder Clamp ↑](#)
[Grounding Kits >>](#)
[Entry System ↓](#)
[Hoisting Grip ↓](#)
[Waterproofing ↓](#)
[Antenna Bracket ↓](#)
[Grounding Bar ↓](#)

Item Name:	Coaxial Cable Grounding Kit
Product Class:	Clamp-Strap Type
Product Model:	GKCT-XX-X.XM (GKCT-LMR600-0.9M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,0.9,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	RG8,LMR400,LMR600 Cable



Item Name:	Grounding Kit SureGround Grounding
Product Class:	Click-on Type (Tinning Clamp)
Product Model:	GKST-XX-X.XM (GKTS-1-5/8"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	1/4" ~ 1-5/8" Feeder Cable



Item Name:	Grounding Kit SureGround Grounding
Product Class:	Click-on Type (Bare Copper Clamp)
Product Model:	GKS-XX-X.XM (GKS-1-5/8"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	1/4" ~ 1-5/8" Feeder Cable



Item Name:	Grounding Kit
Product Class:	Click-on Type (Tinning Clamp)
Product Model:	GKNST-XX-X.XM (GKNST-1-5/8"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	1/4" ~ 1-5/8" Feeder Cable



Item Name:	Universal Grounding Kits
Product Class:	Universal Type (Tinning Clamp)
Product Model:	GKU-UN-X.XM (GKU-UN-0.9M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,0.9,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	3/8"~ 3" Cable



Item Name:	Universal Grounding Kits
Product Class:	Universal For 1/4" ~ 1/2" Cable
Product Model:	GKBU-UN-X.XM (GKBU-UN-0.9M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,0.9,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	1/4"~ 1/2" Cable(LMR300/LMR400)





[Feeder Clamp](#) ↑

[Grounding Kits >>](#)

[Entry System](#) ↓

[Hoisting Grip](#) ↓

[Waterproofing](#) ↓

[Antenna Bracket](#) ↓

[Grounding Bar](#) ↓

Item Name:	Grounding Kit
Product Class:	Framework Type (Spring Piece)
Product Model:	GKFP-XX-X.XM (GKFP-1-5/8"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	Optional
Gooley Size:	Optional
Match Cable:	3/8" ~ 1-5/8" Cable



Item Name:	Grounding Kit
Product Class:	Framework Type (Braid Grounding)
Product Model:	GKFB-XX-X.XM (GKFB-1/2"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	Optional
Gooley Size:	Optional
Match Cable:	3/8"~ 1-5/8" Cable



Item Name:	Grounding Kit Standard Grounding
Product Class:	Copper Tongue Type
Product Model:	GKT-XX-X.XM (GKT-7/8"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	1/2",7/8",1-1/4",1-5/8" Feeder Cable



Item Name:	Grounding Kit
Product Class:	Clamp-Strap Type
Product Model:	GKC-XX-X.XM (GKC-7/8"-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	7/8",1-1/4",1-5/8" Feeder Cable



Item Name:	Grounding Kit
Product Class:	Gemel Type
Product Model:	GKG-1/4-XM (GKG-1/4"-0.6M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Metal Material:	304 Stainless Steel
Grounding Piece:	Rimple Conductor
Match Cable:	RG58,1/4",7/8" Feeder Cable



Item Name:	Grounding Kit
Product Class:	Universal Connector Grounding Kit
Product Model:	GK-IDO-X.XM (GK-IDO-0.8M)
Grounding Wire:	6 AWG Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Installation Lug:	304 Stainless Steel
Gooley Tape Size:	Optional
Match Cable:	BTS Equipment Use



## Product>

[Feeder Clamp>>](#)

[Grounding Kits](#) ↓

[Entry System](#) ↓

[Hoisting Grip](#) ↓

[Waterproofing](#) ↓

[Antenna Bracket](#) ↓

[Grounding Bar](#) ↓

## Grounding Kits

Item Name:	Surge Protector Grounding Kit
Product Class:	Surge Protector Grounding
Product Model:	GK-SGP-X.XM (GK-SGP-0.8M)
Grounding Wire:	10~16MM Copper Grounding Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Tape Size:	0.19MMX50MMX6M Tape *
Gooley Size:	1.5MMX60MMX0.6M Gooley **
Match Cable:	Surge Protector Grounding Use



Item Name:	Grounding Cable
Product Class:	Universal BTS Equipment Grounding
Product Model:	GCB-16MM-X.XM (GCB-16MM-0.8M)
Grounding Wire:	9MM,10MM,12MM,16MM Wire
Grounding Wire Length:	0.6,0.7,0.8,1.0,1.2,1.5 Meter
Jacket Color:	Yellow/Green
Gooley Tape Size:	Optional
Match Cable:	BTS Equipment Grounding



[Feeder Clamp ↑](#)

[Grounding Kits ↑](#)

[Entry System >>](#)

[Hoisting Grip ↓](#)

[Waterproofing ↓](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

Item Name: Boot Assemblies Cushion Inserts  
Product Class: Cushion Inserts  
Product Model: BTCI-11XXX (BTCI-11XXX)  
Inserts Material: EPDM Rubber or Normal Rubber  
Inserts Size: 85mmX24mm  
Color: Black  
UV Resistance: ≥1000 hours  
Match Cable: 9X3/8" or Customization Hole



Item Name: Boot Assemblies Cushion Inserts  
Product Class: Cushion Inserts  
Product Model: BTCI-9XXX (BTCI-9XXX)  
Inserts Material: EPDM Rubber or Normal Rubber  
Inserts Size: 85mmX24mm  
Color: Black  
UV Resistance: ≥1000 hours  
Match Cable: 9X3/8" or Customization Hole



Item Name: Boot Assemblies Cushion Inserts  
Product Class: Cushion Inserts  
Product Model: BTCI-4X1/2"  
Inserts Material: EPDM Rubber or Normal Rubber  
Inserts Size: 85mmX24mm  
Color: Black  
UV Resistance: ≥1000 hours  
Match Cable: 4X1/2" or 4X1/2"SF



Item Name: Boot Assemblies Cushion Inserts  
Product Class: Cushion Inserts  
Product Model: BTCI-3X7/8"  
Inserts Material: EPDM Rubber or Normal Rubber  
Inserts Size: 85mmX24mm  
Color: Black  
UV Resistance: ≥1000 hours  
Match Cable: 3X7/8" or 3X1-1/4"



Item Name: Boot Assemblies Cushion Inserts  
Product Class: Cushion Inserts  
Product Model: BTCI-2XEW63  
Inserts Material: EPDM Rubber or Normal Rubber  
Inserts Size: 85mmX24mm  
Color: Black  
UV Resistance: ≥1000 hours  
Match Cable: 2XEW63 Elliptical Cable





[Feeder Clamp](#) ↑[Grounding Kits](#) ↑[Entry System](#) >>[Hoisting Grip](#) ↓[Waterproofing](#) ↓[Antenna Bracket](#) ↓[Grounding Bar](#) ↓

Item Name:	Boot Assemblies Cushion Inserts
Product Class:	Cushion Inserts
Product Model:	BTCT-1X1-1/4"
Inserts Material:	EPDM Rubber or Normal Rubber
Inserts Size:	85mmX24mm
Color:	Black
UV Resistance:	≥1000 hours
Match Cable:	1X1-1/4"



Item Name:	Boot Assemblies Cushion Inserts
Product Class:	Cushion Inserts
Product Model:	BTCT-1X1-5/8"
Inserts Material:	EPDM Rubber or Normal Rubber
Inserts Size:	85mmX24mm
Color:	Black
UV Resistance:	≥1000 hours
Match Cable:	1X1-5/8"



Item Name:	3X1/2" Rubber Grommet
Product Class:	Rubber Grommet
Product Model:	RG3X1/2-1-5/8D
Cap Material:	EPDM Rubber
Color:	Black
UV Resistance:	≥1000 hours
Grommet Out Size:	1-5/8"
Grommet Inner Size:	1/2"



Item Name:	5" Cable Entry Boot Assemblies
Product Class:	Boot Assemblies
Product Model:	BTA-5IN-AE / BTA-5IN-AN
Boot Material:	EPDM Rubber or Normal Rubber
Hoop Material:	Stainless Steel
Boot Size:	127mmX76.20mm
Color:	Black
UV Resistance:	≥1000 hours
Match Inserts:	Cushion Inserts



Item Name:	5" Cable Entry Boot Assemblies
Product Class:	Boot Assemblies
Product Model:	BTA-3X1-1/4"
Boot Material:	EPDM Rubber or Normal Rubber
Hoop Material:	Stainless Steel
Boot Size:	127mmX76.20mm
Color:	Black
UV Resistance:	≥1000 hours
Match Cable:	3X1-1/4"



[Feeder Clamp ↑](#)[Grounding Kits ↑](#)[Entry System >>](#)[Hoisting Grip ↓](#)[Waterproofing ↓](#)[Antenna Bracket ↓](#)[Grounding Bar ↓](#)

Item Name: Cable Entry Boot Plug  
Product Class: Entry Boot Plug  
Product Model: BTPG-XXX (BTPG-7/8")  
Boot Material: EPDM Rubber or Normal Rubber  
Boot Plug Thickness: 25MM  
Color: Black  
UV Resistance: ≥1000 hours  
Boot Match Cable: 1/2",7/8",1-1/4",1-5/8" Feeder



Item Name: Cable Entry Plate Cap  
Product Class: Plate Cap  
Product Model: BPC-PRC  
Cap Material: Black Rubber  
Color: Black  
UV Resistance: ≥1000 hours  
Cap Size: Round  
Cap Packing: Plastic Bag or Customize



Item Name: 4 Hole Feeder Cable Entry  
Product Class: Hoop Type  
Product Model: EHP-4H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Stainless Steel  
Boot Material: Black Rubber  
Boot Match Cable: 1/2",7/8",1-1/4",1-5/8" Feeder  
Installation Size: 400MM×400MM



Item Name: 6 Hole Feeder Cable Entry  
Product Class: Hoop Type  
Product Model: EHP-6H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Stainless Steel  
Boot Material: Black Rubber  
Boot Match Cable: 1/2",7/8",1-1/4",1-5/8" Feeder  
Installation Size: 390MM×540MM



Item Name: 6 Hole Feeder Cable Entry  
Product Class: Hoop Type  
Product Model: EHP-6H-ALT(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Stainless Steel  
Boot Material: Black Rubber  
Boot Match Cable: 1/2",7/8",1-1/4",1-5/8" Feeder  
Installation Size: 500MM×400MM



Item Name: 9 Hole Feeder Cable Entry  
Product Class: Hoop Type  
Product Model: EHP-9H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Stainless Steel  
Boot Material: Black Rubber  
Boot Match Cable: 1/2",7/8",1-1/4",1-5/8" Feeder  
Installation Size: 500MM×500MM



## [Product>](#)

[Feeder Clamp](#) ↑

[Grounding Kits](#) ↑

[Entry System](#) >>

[Hoisting Grip](#) ↓

[Waterproofing](#) ↓

[Antenna Bracket](#) ↓

[Grounding Bar](#) ↓

## Entry System Feeder Window

Item Name: 12 Hole Feeder Cable Entry  
Product Class: Hoop Type  
Product Model: EHP-12H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Stainless Steel  
Boot Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder  
Installation Size: 540MM×640MM



Item Name: 10 Hole Feeder Cable Entry  
Product Class: Hoop Type  
Product Model: EHP-10HS-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Stainless Steel  
Boot Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder  
Installation Size: 380MM×400MM  
Annotation: 1/2"X4 + 7/8"X18



Item Name: 5" Cable Entry Boot Assemblies  
Product Class: Boot Assemblies  
Product Model: BTA-5IN-CM  
Boot Material: Normal Rubber  
Hoop Material: Iron with Galvanization  
Boot Size: 132mmX78mm  
Color: Black  
UV Resistance: ≥1000 hours



Item Name: 4 Hole Feeder Cable Entry  
Product Class: Through wall Type  
Product Model: ETW-4H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Iron Zincification  
Boot Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder  
Installation Size: 250MM×250MM



Item Name: 6 Hole Feeder Cable Entry  
Product Class: Through wall Type  
Product Model: ETW-6H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Iron Zincification  
Boot Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder  
Installation Size: 350MM×400MM





## [Product>](#)

[Feeder Clamp](#) ↑

[Grounding Kits](#) ↑

[Entry System](#) >>

[Hoisting Grip](#) ↓


[Waterproofing](#) ↓

[Antenna Bracket](#) ↓


[Grounding Bar](#) ↓

## Entry System Feeder Window & Cable Sealing Modules


Item Name: 7 Hole Feeder Cable Entry  
Product Class: Through wall Type  
Product Model: ETW-7H-AL(SS)  
Metal Plate Material: Aluminum or Stainless Steel  
Hoop Material: Iron Zincification  
Boot Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder  
Installation Size: 450MM×450MM










Item Name: Multidiameter Feeder Cable Entry  
Product Class: Alterable Multidiameter  
Product Model: EAM-6X1/2"+9X78"  
Metal Plate Material: Iron Spray-Paint  
Clapboard Material: Aluminum or Iron  
Boot Material: Multidiameter Rubber  
Wedge Kit Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder










Item Name: Multidiameter Feeder Cable Entry  
Product Class: Alterable Multidiameter  
Product Model: EAM-6X1/2"+12X78"  
Metal Plate Material: Iron Spray-Paint  
Clapboard Material: Aluminum or Iron  
Boot Material: Multidiameter Rubber  
Wedge Kit Material: Black Rubber  
Boot Match Cable: 1/2", 7/8", 1-1/4", 1-5/8" Feeder



[Feeder Clamp ↑](#)[Grounding Kits ↑](#)[Entry System ↑](#)[Hoisting Grip >>](#)[Waterproofing ↓](#)[Antenna Bracket ↓](#)[Grounding Bar ↓](#)

Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-LMR400-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	LMR400/RG8,3/8" Cable	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-1/2"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	1/2" Feeder , LMR600 Cable	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-7/8"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	7/8" Feeder , LMR900 Cable *	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-1-1/4"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	1-1/4" Feeder Cable *	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-1-5/8"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	1-5/8" Feeder Cable *	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-2-1/4"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	2-1/4" Feeder Cable *	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-3"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	3" Feeder Cable *	

[Feeder Clamp ↑](#)
[Grounding Kits ↑](#)
[Entry System ↑](#)
[Hoisting Grip >>](#)
[Waterproofing ↓](#)
[Antenna Bracket ↓](#)
[Grounding Bar ↓](#)

Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Pre-Laced type	
Product Model:	HGC-3-1/8"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	3-1/8" Air Cable	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Two Lifting lug Pre-Laced type	
Product Model:	HGC-17/18-304SS/DL	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	17-18mm Cable	
Item Name:	Pre-Laced Hoisting Grip	
Product Class:	Two Lifting lug Pre-Laced type	
Product Model:	HGC-18/19-304SS/DL	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	18-19mm Cable	
Item Name:	Lace-Up Hoisting Grip	
Product Class:	Lace-Up type	
Product Model:	HGO-6MM-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	5~8mm Optical Fiber	
Item Name:	Lace-Up Hoisting Grip	
Product Class:	Lace-Up type	
Product Model:	HGO-12MM-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	10~15mm Optical Fiber	
Item Name:	Lace-Up Hoisting Grip	
Product Class:	Lace-Up type	
Product Model:	HGO-1/2"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	1/2" Feeder Cable	
Item Name:	Lace-Up Hoisting Grip	
Product Class:	Lace-Up type	
Product Model:	HGO-7/8"-304SS	
Wire Material:	304 Stainless Steel	
Impacted Tube:	Aluminum Tube	
Match Cable:	7/8" Feeder Cable	



## [Product>](#)

## **Hoisting Grip**

[Feeder Clamp ↑](#)

[Grounding Kits ↑](#)

[Entry System ↑](#)


[Hoisting Grip >>](#)

[Waterproofing ↓](#)


[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)


Item Name:	Lace-Up Hoisting Grip
Product Class:	Lace-Up type
Product Model:	HGO-1-1/4"-304SS
Wire Material:	304 Stainless Steel
Impacted Tube:	Aluminum Tube
Match Cable:	1-1/4" Feeder Cable *



Item Name:	Lace-Up Hoisting Grip
Product Class:	Lace-Up type
Product Model:	HGO-1-5/8"-304SS
Wire Material:	304 Stainless Steel
Impacted Tube:	Aluminum Tube
Match Cable:	1-5/8" Feeder Cable *




Item Name:	Lace-Up Hoisting Grip
Product Class:	Lace-Up type
Product Model:	HGO-2-1/4"-304SS
Wire Material:	304 Stainless Steel
Impacted Tube:	Aluminum Tube
Match Cable:	2-1/4" Feeder Cable *



Item Name:	Lace-Up Hoisting Grip
Product Class:	Lace-Up type
Product Model:	HGO-3"-304SS
Wire Material:	304 Stainless Steel
Impacted Tube:	Aluminum Tube
Match Cable:	3" Feeder Cable



Item Name:	Lace-Up Hoisting Grip
Product Class:	Lace-Up type
Product Model:	HGO-3-1/8"-304SS
Wire Material:	304 Stainless Steel
Impacted Tube:	Aluminum Tube
Match Cable:	3-1/8" Feeder Cable



Item Name:	Otekic Clamp
Product Class:	Hoisting Grip Otekic Clamp
Product Model:	OTC-1/2"-304SS
Material:	304 Stainless Steel
Match Cable:	1/2" Feeder Cable



[Feeder Clamp ↑](#)[Grounding Kits ↑](#)[Entry System ↑](#)[Hoisting Grip >>](#)[Waterproofing ↓](#)[Antenna Bracket ↓](#)[Grounding Bar ↓](#)

Item Name:	Otekic Clamp
Product Class:	Hoisting Grip Otekic Clamp
Product Model:	OTC-7/8"-304SS
Material:	304 Stainless Steel
Match Cable:	7/8" Feeder Cable



Item Name:	Otekic Clamp
Product Class:	Hoisting Grip Otekic Clamp
Product Model:	OTC-1-1/4"-304SS
Material:	304 Stainless Steel
Match Cable:	1-1/4" Feeder Cable



Item Name:	Otekic Clamp
Product Class:	Hoisting Grip Otekic Clamp
Product Model:	OTC-1-5/8"-304SS
Material:	304 Stainless Steel
Match Cable:	1-5/8" Feeder Cable



Item Name:	Magic Cable Tie
Product Class:	China Brand
Product Model:	MTN-XX-XXX
Materials:	Nylon
Product Color:	Black
Tie Size:	0.5/0.8/1.0/1.5/2.0/3.0/5.0 cm
Packing:	Plastic Bag Packing



Item Name:	Magic Cable Tie
Product Class:	China Brand
Product Model:	MTP-XX-XXX
Materials:	Plastic
Product Color:	Black
Tie Size:	0.5/0.8/1.0/1.5/2.0/3.0/5.0 cm
Packing:	Plastic Bag Packing



Item Name:	Stainless Steel Ties
Thickness:	0.25mm
Width:	4.6~12mm
Length:	100~400mm
Surface:	Natural Colour
Enlace Size	Φ23mm - Φ116.0mm
Packing:	100pcs/Bag



## [Product>](#)

## Waterproofing Closure

[Feeder Clamp ↑](#)

[Grounding Kits ↑](#)

[Entry System ↑](#)

[Hoisting Grip ↑](#)

[Waterproofing >>](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

Item Name: MINI DIN Weather Shield Enclosure  
Model: CWSMD-1/2"-ANT  
Connector: 4.3/10 or 4.1/9.5 MINI DIN  
Style: Seal 1/2" Cable to Antenna  
Enclosure Material: Polypropylene (PP)  
Waterproof: Soft Rubber  
Color: Black  
Application: Seal For 1/2" Cable to Antenna



Item Name: Weather Shield Enclosure  
Model: CWSM-1/2"-ANT  
Connector: 7/16(DIN) Connector  
Style: Seal 1/2" Cable to Antenna  
Enclosure Material: Polypropylene (PP)  
Waterproof: Soft Rubber  
Color: Black  
Application: Seal For 1/2" Cable to Antenna



Item Name: Weather Shield Enclosure  
Model: CWS-1/2"-ANT  
Connector: 7/16(DIN) Connector  
Style: Seal 1/2" Cable to Antenna  
Enclosure Material: Engineered Plastic  
Waterproof: Soft Rubber  
Color: Black  
Application: Seal For 1/2" Cable to Antenna



Item Name: Weather Shield Enclosure  
Model: CWS-1/2"-7/8"-CON  
Connector: 7/16(DIN) Connector  
Style: Seal 1/2" Cable to 7/8" Cable  
Enclosure Material: Engineered Plastic  
Waterproof: Soft Rubber  
Color: Black  
Application: Seal For 1/2" to 7/8" Cable



Item Name: Weather Shield Enclosure  
Model: CWS-1/2"-1-5/8"-CON  
Connector: 7/16(DIN) Connector  
Style: Seal 1/2" Cable to 1-5/8" Cable  
Enclosure Material: Engineered Plastic  
Waterproof: Soft Rubber  
Color: Black  
Application: Seal For 1/2" to 1-5/8" Cable





[Feeder Clamp ↑](#)[Grounding Kits ↑](#)[Entry System ↑](#)[Hoisting Grip ↑](#)[Waterproofing >>](#)[Antenna Bracket ↓](#)[Grounding Bar ↓](#)

Item Name: Weather Shield Enclosure  
Model: CWS-7/8"-GRD  
Connector: 7/16(DIN) Connector  
Style: Seal For 7/8" Grounding kit  
Enclosure Material: Engineered Plastic  
Waterproof: Soft Rubber  
Color: Black  
Application: Seal For 7/8" Grounding kit




Item Name: Rubber Splicing (Butyl Rubber)  
Product Class: China Brand  
Product Model: RBS-1.5/6006  
Temperature Rate: < 90℃  
Product Color: Black  
Tape Size: 1.5X60X600mm (0.6 Meter)  
Packing: Plastic Bag Packing



Item Name: Rubber Splicing (Butyl Rubber)  
Product Class: China Brand  
Product Model: RBS-3/6006  
Temperature Rate: < 90℃  
Product Color: Black  
Tape Size: 3.0X60X600mm (0.6 Meter)  
Packing: Plastic Bag Packing



Item Name: Weatherproofing Kit  
Product Class: Weatherproofing Kit  
Product Model: WPK-3T6R-1.5  
Temperature Rate: < 80℃ / < 90℃  
PVC Tape: TAP-1920(2) + TAP-5006(1)  
Butyl Rubber: 1.5X60X600mm Butyl Rubber(6)  
Packing: Plastic Bag Packing



Item Name: Weatherproofing Kit  
Product Class: Weatherproofing Kit  
Product Model: WPK-3T6R-3.0  
Temperature Rate: < 80℃ / < 90℃  
PVC Tape: TAP-1920(2) + TAP-5006(1)  
Butyl Rubber: 3.0X60X600mm Butyl Rubber(6)  
Packing: Plastic Bag Packing




Item Name: Rubber Splicing (EPDM Rubber)  
Product Class: China Brand  
Product Model: RBS-5030  
Temperature Rate: < 90℃  
Product Color: Black  
Tape Size: 1.65MMX50.8MMX3M (3 Meter)  
Packing: Plastic Paper Packing




[Feeder Clamp ↑](#)[Grounding Kits ↑](#)[Entry System ↑](#)[Hoisting Grip ↑](#)[Waterproofing >>](#)[Antenna Bracket ↓](#)[Grounding Bar ↓](#)

Item Name:	Fast-Wrap Weatherproofing Tape
Product Class:	China Brand
Product Model:	FEWT-5.4/1.5M
Tensile Strength:	50 PSI Max
Product Color:	Black
Tape Size:	5.4CMX150CM (1.5 Meter)
Packing:	Paper Canister Packing




Item Name:	Self Fusing Tape (EPR tape)
Product Class:	China Brand
Product Model:	SFTAP-38X450-EPR
Material:	EPR
Thickness:	0.76mm
Dielectric Strength:	32KV/mm
Tape Size:	38X45000mm (1.5"X15')
Temperature Rate:	-40~ + 100 °C



Item Name:	Self Fusing Tape (Silicon tape)
Product Class:	China Brand
Product Model:	SFTAP-38X450-SLC
Material:	Silicon
Thickness:	0.76mm
Dielectric Strength:	32KV/mm
Tape Size:	38X45000mm (1.5"X15')
Temperature Rate:	-40~ + 100 °C



Item Name:	Heat Shrink Tubing
Shrink Temperature:	90-110 °C
Operating Temperature:	-55°C - +125°C
Radial Shrinking Ratio:	33%(3:1) or 25%(4:1)
Longitudinal Shrinking:	<±15%
Product Size	Φ3.2mm - Φ50.0mm



Item Name:	Silicone Cold Shrink Tubing
Model:	CST-9/25X130-150/SR
Size:	25X150mm
Shrink Rate:	9 : 25
Material:	Silicone Rubber
Diameter:	25mm
Length:	150mm



[Feeder Clamp ↑](#)[Grounding Kits ↑](#)[Entry System ↑](#)[Hoisting Grip ↑](#)[Waterproofing >>](#)[Antenna Bracket ↓](#)[Grounding Bar ↓](#)

Item Name:	Silicone Cold Shrink Tubing
Model:	CST-11/45X110-140/SR
Size:	45X140mm
Shrink Rate:	11: 45
Material:	Silicone Rubber
Diameter:	45mm
Length:	140mm



Item Name:	EPDM Cold Shrink Tubing
Model:	CST-35/150-EPDM
Size:	35X150mm
Shrink Rate:	2.5 : 1
Material:	EPDM Rubber
Diameter:	35mm
Length:	150mm



Item Name:	EPDM Cold Shrink Tubing
Model:	CST-35/180-EPDM
Size:	35X150mm
Shrink Rate:	2.5 : 1
Material:	EPDM Rubber
Diameter:	35mm
Length:	180mm



Item Name:	EPDM Cold Shrink Tubing
Model:	CST-40/150-EPDM
Size:	40X150mm
Shrink Rate:	2.5 : 1
Material:	EPDM Rubber
Diameter:	40mm
Length:	150mm



Item Name:	EPDM Cold Shrink Tubing
Model:	CST-40/180-EPDM
Size:	40X150mm
Shrink Rate:	2.5 : 1
Material:	EPDM Rubber
Diameter:	40mm
Length:	180mm



## [Product>](#)

[Feeder Clamp ↑](#)

[Grounding Kits ↑](#)

[Entry System ↑](#)

[Hoisting Grip ↑](#)

[Waterproofing >>](#)

[Antenna Bracket ↓](#)

[Grounding Bar ↓](#)

## Waterproofing Tape Heat/Cold Shrink Tube

Item Name: Threaded Rod Protective Cap  
Model: RP-CAP-3/8"R  
Color: Red Color  
Material: Silica Gel  
Application: Protective 3/8" Threaded Rod  
Packing: 100 or 500 Pcs/Per Bag



Item Name: Cable Protective Cap  
Model: CP-CAP-XXX  
Color: Red or Black Color  
Material: Silica Gel  
Application: 1/4"~5" Cable  
Packing: 100 or 500 Pcs/Per Bag



Item Name: Electron Tape (PVC tape)  
Product Class: China Brand (UL Approved)  
Product Model: TAP-1920  
Temperature Rate: < 80℃  
Voltage Rate: < 600V  
Tape Size: 0.19X19X20000mm (20 Meter)  
Packing: Plastic Bag Packing



Item Name: Electron Tape (PVC tape)  
Product Class: China Brand (UL Approved)  
Product Model: TAP-5006  
Temperature Rate: < 80℃  
Voltage Rate: < 600V  
Tape Size: 0.19X50X6000mm (6 Meter)  
Packing: Plastic Bag Packing



Item Name: Color Electron Tape (Red)  
Product Class: China Brand (UL Approved)  
Product Model: TAP-1611-R  
Temperature Rate: < 80℃  
Voltage Rate: < 600V  
Tape Size: 0.16X19X11000mm (11 Meter)  
Color: Red, Yellow, Blue, Green  
Packing: Plastic Bag Packing





## Product>


## Antenna Bracket

Item Name: Antenna Adjust Bracket

Product Class: Antenna Bracket

Bracket Clamp: 304 Stainless Steel

Steel Tube Diameter: 50MM - 115MM




Item Name: Antenna Adjust Bracket

Product Class: Antenna Bracket

Bracket Clamp: Zincification Steel

Steel Tube Diameter: 50MM - 115MM



Item Name: Antenna Adjust Bracket

Product Class: Antenna Bracket

Bracket Material: 304 Stainless Steel

Angle Degree: 0 - 30°




Item Name: Antenna Adjust Bracket

Product Class: Antenna Bracket

Bracket Material: Zincification Steel

Angle Degree: 0 - 30°



[Feeder Clamp ↑](#)

[Grounding Kits ↑](#)

[Entry System ↑](#)

[Hoisting Grip ↑](#)

[Waterproofing ↑](#)

[Antenna Bracket >>](#)

[Grounding Bar ↓](#)

## Product>

## Grounding Bar

[Feeder Clamp ↑](#)

[Grounding Kits ↑](#)

[Entry System ↑](#)


[Hoisting Grip ↑](#)

[Waterproofing ↑](#)


[Antenna Bracket ↑](#)

[Grounding Bar >>](#)

Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-6X60X300-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 14 Hole or Customize  
Grounding Bar Size: 6MMX60MMX300MM



Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-6X80X300-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 14 Hole or Customize  
Grounding Bar Size: 6MMX80MMX300MM




Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-6X80X400-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 18 Hole or Customize  
Grounding Bar Size: 6MMX80MMX400MM




Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-6X100X300-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 14 Hole or Customize  
Grounding Bar Size: 6MMX100MMX300MM




Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-6X100X400-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 18 Hole or Customize  
Grounding Bar Size: 6MMX100MMX400MM




Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-8X60X300-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 14 Hole or Customize  
Grounding Bar Size: 8MMX60MMX300MM



Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GBO-8X80X300-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 14 Hole or Customize  
Grounding Bar Size: 8MMX80MMX300MM



Item Name: Grounding Bar  
Product Class: Outdoor Use  
Product Model: GB-6X100X400-RC  
Grounding Material: T2 Red Copper \*  
Grounding Hole: 18 Hole or Customize  
Grounding Bar Size: 8MMX80MMX400MM



Item Name: Grounding Bar


Product Class: Outdoor Use

Product Model: GB-8X100X300-RC

Grounding Material: T2 Red Copper \*

Grounding Hole: 14 Hole or Customize

Grounding Bar Size: 8MMX100MMX300MM



Item Name: Grounding Bar

Product Class: Outdoor Use

Product Model: GB-8X100X400-RC

Grounding Material: T2 Red Copper \*

Grounding Hole: 18 Hole or Customize

Grounding Bar Size: 8MMX100MMX400MM



Item Name: Grounding Bar

Product Class: Indoor Use (On The wall)

Product Model: GB-8H-ID

Grounding Material: Brass

Grounding Hole: 8 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use (On The wall)

Product Model: GB-10H-ID

Grounding Material: Brass

Grounding Hole: 10 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use (On The wall)

Product Model: GB-12H-ID

Grounding Material: Brass

Grounding Hole: 12 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use (On The wall)

Product Model: GB-8H-IDW

Grounding Material: Brass

Grounding Hole: 8 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar


Product Class: Indoor Use (On The wall)

Product Model: GB-10H-IDW

Grounding Material: 10 Hole

Grounding Hole: Customize

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar


Product Class: Indoor Use (On The wall)

Product Model: GB-12H-IDW

Grounding Material: 12 Hole

Grounding Hole: Customize

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use

Product Model: GB-5H-IDG

Grounding Material: Brass

Grounding Hole: 5 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use

Product Model: GB-8H-IDG

Grounding Material: Brass

Grounding Hole: 8 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use

Product Model: GB-10H-IDG

Grounding Material: Brass

Grounding Hole: 10 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar


Product Class: Indoor Use

Product Model: GB-12H-IDG

Grounding Material: Brass

Grounding Hole: 12 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Indoor Use

Product Model: GB-24H-IDG

Grounding Material: Brass

Grounding Hole: 24 Hole

Installation Clamp: 304 Stainless Steel



Item Name: Grounding Bar

Product Class: Fiber and Feed Installation

Product Model: GB-MT-ODA

Grounding Material: Aluminum

Grounding Hole: 12 Hole

Installation Clamp: U Clamp





Item Name: Flexible Copper Braid

Product Class: Copper Braid Grounding

Product Model: FB-XXXX-CP

Grounding Material: Flexible Copper

Size: Customization

Sectional Area: 2mm~120mm



Item Name: Flexible Tinned Copper Braid

Product Class: Copper Braid Grounding

Product Model: FB-XXXX-TCP

Grounding Material: Flexible Copper

Size: Customization

Sectional Area: 2mm~120mm



Item Name: Cable Lug

Product Class: Tinning Cable Lug

Product Model: CLG-XX-X-STC

Material: Tinning Copper

Connection Size:  $\Phi 2.4\text{mm} \sim \Phi 34.5\text{mm}$

Connection Size:  $\Phi 3.0\text{mm} \sim \Phi 44.7\text{mm}$



Item Name: Bakelite Insulator

Product Class: Fiber and Feed Installation

Product Model: GB-BIS

Material: Bakelite

Grounding Hole: 2 Hole

Installation Clamp: U Clamp



Item Name: Surge Protector Grounding Bracket

Product Class: Indoor Use

Product Model: GBK-2R-BD

Grounding Material: Red Copper \*

Grounding Bracket Size: 500X400X50MM

Installation Bracket: Aluminum Alloy



Item Name: Surge Protector Grounding Bracket

Product Class: Indoor Use

Product Model: GBK-3R-PD

Grounding Material: Red Copper \*

Grounding Bracket Size: 430X420X80MM

Installation Bracket: Aluminum Alloy



Item Name: Surge Protector Grounding Bracket

Product Class: Indoor Use

Product Model: GBK-2R-PD

Grounding Material: Red Copper \*

Grounding Bracket Size: 290X420X80MM

Installation Bracket: Aluminum Alloy

